

## ONLINE-LITERATUR

Adli M, Baethge C, Heinz A, Langlitz N, Bauer M. Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed? A systematic review. *Eur Arch Psychiatry Clin Neurosci* 2005; 255(6):387–400

Anderson RJ, Freedland KE, Clouse RE, Lustman PJ. The prevalence of comorbid depression in adults with diabetes: a meta-analysis. *Diabetes Care* 2001; 24(6):1069–1078

Assimon MM, Brookhart MA, Flythe JE. Comparative Cardiac Safety of Selective Serotonin Reuptake Inhibitors among Individuals Receiving Maintenance Hemodialysis. *J Am Soc Nephrol* 2019; 30(4):611–623

Baldwin RC, Chiu E, Katona C et al. Guidelines on Depression in Older People: Practising the Evidence. CRC Press, London, 2002

Bartova L, Winkler D. Zeitgemäße Depressionstherapie (DFP Beitrag). *CliniCum neuropsy: Sonderheft* 2019; 1–6

Bauer M, Bschor T, Pfennig A, Whybrow PC, Angst J, Versiani M, Möller HJ; WFSBP Task Force on Unipolar Depressive Disorders. World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. *World J Biol Psychiatry* 2007; 8(2):67–104

Bobo WV, Vande Voort JL, Croarkin PE, Leung JG, Tye SJ, Frye MA. Ketamine for treatment-resistant unipolar and bipolar major depression: critical review and implications for clinical practice. *Depress Anxiety* 2016; doi:10.1002/da.22505

Campbell LC, Clauw DJ, Keefe FJ. Persistent pain and depression: a biopsychosocial perspective. *Biol Psychiatry* 2003; 54(3):399–409

Caraci F, Enna SJ, Zohar J, Racagni G, Zalsman G, van den Brink W, Kasper S, Koob GF, Pariante CM, Piazza PV, Yamada K, Spedding M, Drago F. A new nomenclature for classifying psychotropic drugs. *Br J Clin Pharmacol* 2017. doi: 10.1111/bcp.13302

Cocchio S, Baldovin T, Furlan P, Buja A, Casale P, Fonzo M, Baldo V, Bertoncello C. Is depression a real risk factor for acute myocardial infarction mortality? A retrospective cohort study. *BMC Psychiatry* 2019; 19(1):122

Crossley NA, Bauer M. Acceleration and augmentation of antidepressants with lithium for depressive disorders: two meta-analyses of randomized, placebo-controlled trials. *J Clin Psychiatry* 2007;68(6):935-40

Dold M, Bartova L, Kautzky A, Porcelli S, Montgomery S, Zohar J, Mendlewicz J, Souery D, Serretti A, Kasper S. Psychotic Features in Patients With Major Depressive Disorder: A Report From the European Group for the Study of Resistant Depression. *J Clin Psychiatry* 2019; doi: 10.4088/JCP.17m12090

Feng L, Li L, Liu W, Yang J, Wang Q, Shi L, Luo M: Prevalence of depression in myocardial infarction: A PRISMA-compliant meta-analysis. *Medicine (Baltimore)* 2019; doi:10.1097/MD.0000000000015383

Fiest KM, Dykeman J, Patten SB, et al. Depression in epilepsy: A systematic review and meta-analysis. *Neurology* 2012; doi:10.1212/WNL.0b013e31827b1ae0

Henkel V, Wambach V, Möller HJ, Hegerl U. Diagnostik der Therapie von Depression. Schlüsselrolle für den Hausarzt. *Fortschritte der Medizin* 2001; 143(Sonderheft 2):495–501

Hoffmann et Weiner. Is Mrs S depressed? Diagnosing depression in the cancer patient. *J Clin Oncol.* 2007 Jul 1;25(19):2853–2856

Joseph JJ, Golden SH. Cortisol dysregulation: the bidirectional link between stress, depression, and type 2 diabetes mellitus. *Ann N Y Acad Sci* 2017; 1391(1):20–34

Kraus C, Rabl U, Vanicek T, Carlberg L, Popovic A, Spies M, Bartova L, Gryglewski G, Papageorgiou K, Lanzenberger R, Willeit M, Winkler D, Rybakowski JK, Kasper S. Administration of ketamine for unipolar and bipolar depression. *Int J Psychiatry Clin Pract.* 2017; doi:10.1080/13651501.2016.1254802.

Lavoie KL, Paine NJ, Pelletier R, Arsenault A, Diodati JG, Campbell TS, Pilote L, Bacon SL. Relationship between antidepressant therapy and risk for cardiovascular events in patients with and without cardiovascular disease. *Health Psychol* 2018; 37(11):989–999

Lee HB, Lyketsos CG. Depression in Alzheimer's disease: heterogeneity and related issues. *Biol Psychiatry* 2003; 54(3):353–562

Lin PY, Huang SY, Su KP. A meta-analytic review of polyunsaturated fatty acid compositions in patients with depression. *Biol Psychiatry* 2010; 68(2):140–7. doi: 10.1016/j.biopsych.2010.03.018

McDonald WM, Richard IH, DeLong MR. Prevalence, etiology, and treatment of depression in Parkinson's disease. *Biol Psychiatry* 2003; 54(3):363–375

McKnight RF, Adida M, Budge K, Stockton S, Goodwin GM, Geddes JR. Lithium toxicity profile: a systematic review and meta-analysis. *Lancet.* 2012; doi: 10.1016/S0140-6736(11)61516-X

Mitchell AJ, Chan M, Bhatti H, Halton M, Grassi L, Johansen C, Meader N. Prevalence of depression, anxiety, and adjustment disorder in oncological, haematological, and palliative-care settings: a meta-analysis of 94 interviewbased studies. *Lancet Oncol.* 2011; doi:10.1016/S1470-2045(11)70002-X

Mozaffari-Khosravi H, Yassini-Ardakani M, Karamati M, Shariati-Bafghi SE. Eicosapentaenoic acid versus docosahexaenoic acid in mild-to-moderate depression: a randomized, double-blind, placebo-controlled trial. *Eur Neuropsychopharmacol* 2012; doi: 10.1016/j.euroneuro.2012.08.003

Muzik M, Marcus SM, Heringhausen JE, Flynn H. When depression complicates childbearing: guidelines for screening and treatment during antenatal and postpartum obstetric care. *Obstet Gynecol Clin North Am* 2009; 36(4):771–88, ix-x

Nelson JC, Papakostas GI. Atypical antipsychotic augmentation in major depressive disorder: a meta-analysis of placebo-controlled randomized trials. *Am J Psychiatry*. 2009; doi: 10.1176/appi.ajp.2009.09030312.

Nguyen TTH, Roussin A, Rousseau V, Montastruc JL, Montastruc F. Role of Serotonin Transporter in Antidepressant-Induced Diabetes Mellitus: A Pharmacoepidemiological-Pharmacodynamic Study in VigiBase®. *Drug Saf* 2018; 41(11):1087–1096.

Noordam R, Aarts N, Peeters RP, Hofman A, Stricker BH, Visser LE. Selective Serotonin Reuptake Inhibitors Decrease Pancreatic Insulin Secretion in Older Adults and Increase the Risk of Insulin Dependence in Type 2 Diabetes Patients. *J Clin Psychiatry* 2016; doi: 10.4088/JCP.15m10048

Paans NPG, Gibson-Smith D, Bot M, van Strien T, Brouwer IA, Visser M, Penninx BWJH. Depression and eating styles are independently associated with dietary intake. *Appetite* 2019; 134:103–110.

Palmer S, Vecchio M, Craig JC, Tonelli M, Johnson DW, Nicolucci A, Pellegrini F, Saglimbene V, Logroscino G, Fishbane S, Strippoli GF. Prevalence of depression in chronic kidney disease: Systematic review and meta-analysis of observational studies. *Kidney International* 2013; doi:10.1038/ki.2013.77

Pan A, Keum N, Okereke OI, Sun Q, Kivimaki M, Rubin RR, Hu FB. Bidirectional association between depression and metabolic syndrome: a systematic review and meta-analysis of epidemiological studies. *Diabetes Care*. 2012; 35(5):1171–1180

Philbrick et al., Clinical manual of psychosomatic medicine. A guide to consultation-liaison psychiatry, 2nd ed., American Psychiatric Publishing, Washington, Dc, London, 2012, S.166

Rochester MP, Kane AM, Linnebur SA, Fixen DR. Evaluating the risk of QTc prolongation associated with antidepressant use in older adults: a review of the evidence. *Ther Adv Drug Saf* 2018; 9(6):297–308

Rosenblat JD, Carvalho AF, Li M, Lee Y, Subramanieapillai M, McIntyre RS, Oral Ketamine for Depression: A Systematic Review. *J Clin Psychiatry* 2019; doi:10.4088/JCP.18r12475

Rudisch B, Nemeroff CB. Epidemiology of comorbid coronary artery disease and depression. *Biol Psychiatry* 2003; 54(3):227–240

Rutz W, Wålinder J, Von Knorring L, Rihmer Z, Pihlgren H. Prevention of depression and suicide by education and medication: impact on male suicidality. An update from the Gotland study. *Int J Psychiatry Clin Pract* 1997;1(1):39–46. doi: 10.3109/13651509709069204

Siafis S, Papazisis G. Detecting a potential safety signal of antidepressants and type 2 diabetes: a pharmacovigilance-pharmacodynamic study. *Br J Clin Pharmacol* 2018; 84(10):2405–2414

Su KP, Huang SY, Chiu CC, Shen WW. Omega-3 fatty acids in major depressive disorder. A preliminary double-blind, placebo-controlled trial. *Eur Neuropsychopharmacol*. 2003; 13(4):267–71

Sublette ME, Ellis SP, Geant AL, Mann JJ. Meta-analysis of the effects of eicosapentaenoic acid (EPA) in clinical trials in depression. *J Clin Psychiatry* 2011; doi:10.4088/JCP.10m06634

Teply RM, Packard KA, White ND, Hilleman DE, DiNicolantonio JJ. Treatment of Depression in Patients with Concomitant Cardiac Disease. *Prog Cardiovasc Dis* 2016; 58(5):514–528

Thombs BD, Bass EB, Ford DE, Stewart KJ, Tsilidis KK, Patel U, Fauerbach JA, Bush DE, Ziegelstein RC. Prevalence of depression in survivors of acute myocardial infarction. *J Gen Intern Med*. 2006; 21(1):30–38

Tundo A, de Filippis R, Proietti L. Pharmacologic approaches to treatment resistant depression: Evidences and personal experience. *World J Psychiatry*. 2015 Sep 22; 5(3): 330–341

Vancampfort D, Correll CU, Wampers M, Sienaert P, Mitchell AJ, De Herdt A, Probst M, Scheewe TW, De Hert M. Metabolic syndrome and metabolic abnormalities in patients with major depressive disorder: a meta-analysis of prevalences and moderating variables. *Psychol Med* 2014; 44(10):2017–2028

Watanabe N, Omori IM, Nakagawa A, Cipriani A, Barbui C, McGuire H, Churchill R, Furukawa TA; MANGA (Meta-Analysis of New Generation Antidepressants) Study Group. Safety reporting and adverse-event profile of mirtazapine described in randomized controlled trials in comparison with other classes of antidepressants in the acute-phase treatment of adults with depression: systematic review and meta-analysis. *CNS Drugs* 2010 Jan; 24(1):35–53

Whiskey E, Taylor D. A review of the adverse effects and safety of noradrenergic antidepressants. *J Psychopharmacol* 2013; doi:10.1177/0269881113492027

Winkler D, Pjrek E, Kasper S. Anger attacks in depression--evidence for a male depressive syndrome. *Psychother Psychosom* 2005; 74(5):303-7

Zhang MW, Ho RC, Cheung MW, et al. Prevalence of depressive symptoms in patients with chronic obstructive pulmonary disease: A systematic review, meta-analysis and meta-regression. *Gen Hosp Psychiatry* 2011; doi:10.1016/j.genhosppsych.2011.03.009